


PRODUCT DIMENSIONS

DDV

Basic Unit With Inlet Air Sensing




Unit Size	CFM Range Min to Max	L	H	W	A	B	D
4	0/45 - 260	30	10	20	5-3/8	5	3-7/8
5	0/70 - 410	30	10	20	5-3/8	5	4-7/8
6	0/100 - 590	30	10	20	3-3/8	5	5-7/8
7	0/135 - 800	30	12	24	3-3/8	6	6-7/8
8	0/175 - 1045	30	12	24	3-3/8	6	7-7/8
10	0/275 - 1635	36	14	28	3-3/8	7	9-7/8
12	0/395 - 2355	40	16	32	3-3/8	8	11-7/8
14	0/535 - 3205	44	18	36	3-3/8	9	13-7/8
16	0/700 - 4190	48	20	40	3-3/8	10	15-7/8



PRODUCT DIMENSIONS

DDV

With Inlet Air Sensing & Mixing Baffle




Unit Size	CFM Range Min to Max	L	H	W	A	B	D
4	0/45 - 260	30	10	20	5-3/8	5	3-7/8
5	0/70 - 410	30	10	20	5-3/8	5	4-7/8
6	0/100 - 590	30	10	20	3-3/8	5	5-7/8
7	0/135 - 800	30	12	24	3-3/8	6	6-7/8
8	0/175 - 1045	30	12	24	3-3/8	6	7-7/8
10	0/275 - 1635	36	14	28	3-3/8	7	9-7/8
12	0/395 - 2355	40	16	32	3-3/8	8	11-7/8
14	0/535 - 3205	44	18	36	3-3/8	9	13-7/8
16	0/700 - 4190	48	20	40	3-3/8	10	15-7/8



DIMENSIONS IN INCHES

PRODUCT DIMENSIONS

DDV
With Total Air Sensing




Unit Size	CFM Range Min to Max	L	H	W	A	B	D
4	0/45 - 260	30	10	20	5-3/8	5	3-7/8
5	0/70 - 410	30	10	20	5-3/8	5	4-7/8
6	0/100 - 590	30	10	20	3-3/8	5	5-7/8
7	0/135 - 800	30	12	24	3-3/8	6	6-7/8
8	0/175 - 1045	30	12	24	3-3/8	6	7-7/8
10	0/275 - 1635	36	14	28	3-3/8	7	9-7/8
12	0/395 - 2355	40	16	32	3-3/8	8	11-7/8
14	0/535 - 3205	44	18	36	3-3/8	9	13-7/8
16	0/700 - 4190	48	20	40	3-3/8	10	15-7/8



PRODUCT DIMENSIONS

DDV

With Total Air Sensing & Mixing Baffle




Unit Size	CFM Range Min to Max	L	H	W	A	B	D
4	0/45 - 260	30	10	20	5-3/8	5	3-7/8
5	0/70 - 410	30	10	20	5-3/8	5	4-7/8
6	0/100 - 590	30	10	20	3-3/8	5	5-7/8
7	0/135 - 800	30	12	24	3-3/8	6	6-7/8
8	0/175 - 1045	30	12	24	3-3/8	6	7-7/8
10	0/275 - 1635	36	14	28	3-3/8	7	9-7/8
12	0/395 - 2355	40	16	32	3-3/8	8	11-7/8
14	0/535 - 3205	44	18	36	3-3/8	9	13-7/8
16	0/700 - 4190	48	20	40	3-3/8	10	15-7/8

DIMENSIONS IN INCHES

PRODUCT DIMENSIONS

DDV

With Total Air & Inlet Sensing




Unit Size	CFM Range Min to Max	L	H	W	A	B	D
4	0/45 - 260	30	10	20	5-3/8	5	3-7/8
5	0/70 - 410	30	10	20	5-3/8	5	4-7/8
6	0/100 - 590	30	10	20	3-3/8	5	5-7/8
7	0/135 - 800	30	12	24	3-3/8	6	6-7/8
8	0/175 - 1045	30	12	24	3-3/8	6	7-7/8
10	0/275 - 1635	36	14	28	3-3/8	7	9-7/8
12	0/395 - 2355	40	16	32	3-3/8	8	11-7/8
14	0/535 - 3205	44	18	36	3-3/8	9	13-7/8
16	0/700 - 4190	48	20	40	3-3/8	10	15-7/8



PRODUCT DIMENSIONS

*DDV With Total & Inlet Sensing
With Mixing Baffle*



Unit Size	CFM Range Min to Max	L	H	W	A	B	D
4	0/45 - 260	30	10	20	5-3/8	5	3-7/8
5	0/70 - 410	30	10	20	5-3/8	5	4-7/8
6	0/100 - 590	30	10	20	3-3/8	5	5-7/8
7	0/135 - 800	30	12	24	3-3/8	6	6-7/8
8	0/175 - 1045	30	12	24	3-3/8	6	7-7/8
10	0/275 - 1635	36	14	28	3-3/8	7	9-7/8
12	0/395 - 2355	40	16	32	3-3/8	8	11-7/8
14	0/535 - 3205	44	18	36	3-3/8	9	13-7/8
16	0/700 - 4190	48	20	40	3-3/8	10	15-7/8



DIMENSIONS IN INCHES