



Terminal Unit Weights

Model	Unit Weights (lbs.)						Hot Water Coil	
	Inlet size	Bare box	w/pneumatic	w/DDC or Analog	w/ attenuator only	w/EH & atten	1 row	2row
SDV	4,5,6	14	+4	+9	+14	+18	+5	+6
	7,8	16	+4	+9	+14	+18	+5	+7
	10	21	+4	+9	+19	+23	+7	+9
	12	26	+4	+9	+21	+25	+9	+12
	14	34	+4	+9	+23	+27	+10	+15
	16	38	+4	+9	+24	+28	+12	+17
	22	65	+4	+9	+26	+30	+17	+25
Access Door = .5 lb. (included in Bare box weight)								

Model	Unit Weights (lbs.)			
	Inlet size	Bare box	w/pneumatic	w/DDC or Analog
DDV	4,5,6	24	+8	+18
	7,8	30	+8	+18
	10	43	+8	+18
	12	51	+8	+18
	14	65	+8	+18
	16	75	+8	+18
	22	81	+8	+18

Model	Unit Weights (lbs.)			
	Inlet size	Bare box	w/pneumatic	w/DDC or Analog
SDR	4,5,6	12	+4	+9
	7,8	14	+4	+9
	10	19	+4	+9
	12	24	+4	+9
	14	32	+4	+9
	16	36	+4	+9

Model	Unit Weights (lbs.)				Hot Water Coil		
	Inlet size	Bare box	w/pneumatic	w/DDC or Analog	1 row	2row	w/EH
FPS	2	70	+4	+9	+20	+21	+30
	3	70	+4	+9	+20	+22	+30
	4	85	+4	+9	+22	+25	+32
	5	85	+4	+9	+24	+28	+32
	6	100	+4	+9	+25	+30	+35
	7	175	+4	+9	+35	+43	+40

Model	Unit Weights (lbs.)				Hot Water Coil		
	Inlet size	Bare box	w/pneumatic	w/DDC or Analog	1 row	2row	w/EH
FPP	2	114	+4	+9	+20	+21	+30
	3	114	+4	+9	+20	+22	+30
	4	115	+4	+9	+22	+25	+32
	5	122	+4	+9	+24	+28	+32
	6	123	+4	+9	+25	+30	+35
	7	127	+4	+9	+35	+43	+40

Model	Unit Weights (lbs.)		
	Inlet size	Bare box	/pneumatic or electric
BPS	6	19	+4
	8	19	+4
	10	21	+4
	12	27	+4
	14	27	+4
	16	34	+4
	18	34	+4

Model	Unit Weights (lbs.)		Hot Water Reheat Coils (lbs.)	
	Inlet size	Bare box	1 row	2row
IDV	4	60	+10	+15
	5	60	+10	+15
	6	60	+10	+15
	7	70	+10	+15
	8	70	+10	+15
	10	95	+10	+15
	12	150	+10	+15
	14	175	+10	+15